



### Acceptable Masonry Water Proofer Products:

Upon approval or as instructed in the work order, any water-proofer used must contain a minimum 10 psi of pressure when applied. Utilize the below lists of approved waterproof products; do not use any other products without prior approval. Products used must always be photo documented in your vendor web update.

### Approved Water-proofing Products:

DRYLOK Masonry Water-proofer (Latex)	DRYLOK Powdered
DRYLOK Extreme	Zinsser Drygard
Zinsser WaterTite	QUIKRETE Masonry Water-proofer
KILZ Basement & Masonry Water-proofer	BEHR Premium Basement & Masonry Waterproof
DRYLOK Masonry Water-proofer (Oil)	



\*If your Company has another product that meets the requirements of a minimum 10 PSI, it may be submitted to your Vendor Account Manager for review and approval.

### Acceptable Stain-blocker Products:

Upon approval or as instructed in the work order, any stain-blocker used must contain a fungicidal agent. Utilize the below lists of approved stain-blocking products; do not use any other products without prior approval. Products used must always be photo documented in your vendor web update.

#### Approved Stain-blocker Products

• Zinsser WaterTite	• Zinsser Perma-White
• Zinsser Shieldz	• Zinsser Mold Killing Primer
• Aftershock Fungicidal Coating	• MX-3 Mildewcide (Additive)*
• ADD-2 Mildewcide (Additive)	• Mildew Control (Mildewcide)*
• M-1 Advanced Mildew (Additive)	



\*If your Company has another product that meets the requirements of having an explicit fungicide, it may be submitted to your Vendor Account Manager for review and approval.



\*If an additive is used, photo detail must be provided. This includes a Before photo of the product validating the impact and dilution, a During photo showing the additive being placed in the paint (must see product falling into the paint), and an After photo showing the empty package/bottle. Should any of these photos be missing from the update, payment may not be made.

### Masonry Water-proofer and Stain-blockers that are NOT Acceptable

• Sherwin Williams Water Blocking Primer	• DRYLOK Etch
• DRYLOK Fast Plug	

